

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Penwith	Aire Point To Carrick Du	Supralittoral rock	1	15.44	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	2	46.51	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	3	86.49	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	4	28.23	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	5	13.41	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	6	2.32	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	7	4.13	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	8	22.29	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	9	5.1	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	10	9.74	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	11	5.56	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	12	3.64	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	13	22.9	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	14	6.62	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	15	13.77	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	16	68.39	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	17	4.9	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	18	5.65	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	19	2.11	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	20	6.93	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	21	13.04	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	22	20.67	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	23	12.16	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	24	3.43	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	25	5.77	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	26	23.19	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	27	6.1	Unfavourable recovering
Penwith	Aire Point To Carrick Du	Supralittoral rock	28	6.92	Unfavourable recovering
Penwith	Aire Point To Carrick Du	Supralittoral rock	29	9.2	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	30	5.84	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	31	49.62	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	32	9.33	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	33	8.96	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	34	13.8	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Penwith	Aire Point To Carrick Du	Supralittoral rock	35	3.32	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	36	10.12	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	37	4.23	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	38	11.12	Favourable
Penwith	Aire Point To Carrick Du	Supralittoral rock	39	7.27	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	40	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	41	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	42	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	43	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	44	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	45	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	46	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	47	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	48	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	49	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	50	0	Favourable
Penwith	Aire Point To Carrick Du	Earth heritage	51	0	Favourable
North Cornwall	Amble Marshes	Improved grassland	1	11.62	Unfavourable no change
North Cornwall	Amble Marshes	Improved grassland	2	20.18	Unfavourable no change
North Cornwall	Amble Marshes	Improved grassland	3	23.81	Unfavourable no change
Isles Of Scilly	Annet	Neutral grassland - lowland	1	23.57	Favourable
Kerrier	Baulk Head To Mullion	Supralittoral rock	1	40.87	Favourable
Kerrier	Baulk Head To Mullion	Supralittoral rock	2	55.82	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	3	0.73	Unfavourable no change
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	4	0.63	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	5	2.48	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	6	14.72	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	7	1.01	Favourable
Kerrier	Baulk Head To Mullion	Supralittoral rock	8	4.8	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	9	13.79	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	10	7.16	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	11	1.07	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	12	3.43	Favourable
Kerrier	Baulk Head To Mullion	Neutral grassland - lowland	13	4.59	Unfavourable recovering
Kerrier	Baulk Head To Mullion	Earth heritage	14	0	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Kerrier	Baulk Head To Mullion	Earth heritage	15	0	Favourable
North Cornwall	Bedruthan Steps And Park Head	Supralittoral rock	1	35.42	Favourable
North Cornwall	Bedruthan Steps And Park Head	Supralittoral rock	2	41.57	Favourable
North Cornwall	Bedruthan Steps And Park Head	Supralittoral rock	3	4.2	Favourable
Restormel	Belowda Beacon	Earth heritage	1	0.46	Unfavourable declining
Isles Of Scilly	Big Pool & Browarth Point(st. Agnes)	Neutral grassland - lowland	1	9.33	Favourable
Caradon	Boconnoc Park & Woods	Broadleaved, mixed and yew woodland - lowland	1	14.52	Favourable
Caradon	Boconnoc Park & Woods	Broadleaved, mixed and yew woodland - lowland	2	2.11	Favourable
Caradon	Boconnoc Park & Woods	Broadleaved, mixed and yew woodland - lowland	3	0.76	Favourable
Caradon	Boconnoc Park & Woods	Broadleaved, mixed and yew woodland - lowland	4	15.27	Favourable
Caradon	Boconnoc Park & Woods	Broadleaved, mixed and yew woodland - lowland	5	16.93	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	1	353.75	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	2	487.55	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	3	268.56	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	4	447.69	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	5	26.32	Favourable
North Cornwall	Bodmin Moor, North	Acid grassland - upland	6	76.68	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	7	61.92	Unfavourable no change
North Cornwall	Bodmin Moor, North	Acid grassland - upland	8	145.95	Unfavourable no change
North Cornwall	Bodmin Moor, North	Acid grassland - upland	9	782.37	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	10	646.1	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	11	36.81	Unfavourable declining
North Cornwall	Bodmin Moor, North	Acid grassland - upland	12	134.8	Unfavourable declining
North Cornwall	Bodmin Moor, North	Acid grassland - upland	13	15.89	Unfavourable declining
North Cornwall	Bodmin Moor, North	Acid grassland - upland	14	99.72	Unfavourable declining
North Cornwall	Bodmin Moor, North	Acid grassland - upland	15	594.06	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	16	297.08	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	17	170.45	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Dwarf shrub heath - upland	18	23.52	Favourable
North Cornwall	Bodmin Moor, North	Dwarf shrub heath - upland	19	12.54	Favourable
North Cornwall	Bodmin Moor, North	Acid grassland - upland	20	9.96	Favourable
North Cornwall	Bodmin Moor, North	Acid grassland - upland	21	14.04	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Acid grassland - upland	22	7.38	Unfavourable recovering
North Cornwall	Bodmin Moor, North	Broadleaved, mixed and yew woodland - upland	23	4.39	Favourable
North Cornwall	Bodmin Moor, North	Acid grassland - upland	24	158.44	Unfavourable recovering

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
North Cornwall	Bodmin Moor, North	Acid grassland - upland	25	6.57	Favourable
North Cornwall	Bodmin Moor, North	Dwarf shrub heath - upland	26	6.91	Favourable
Restormel	Borlasevath And Retallack Moor	Fen, marsh and swamp - lowland	1	11.11	Favourable
Restormel	Borlasevath And Retallack Moor	Bogs - lowland	2	29.2	Favourable
Restormel	Borlasevath And Retallack Moor	Bogs - lowland	3	12.45	Unfavourable recovering
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	1	9.6	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	2	29.07	Unfavourable recovering
North Cornwall	Boscastle To Widemouth	Supralittoral rock	3	5.66	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	4	18.48	Unfavourable recovering
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	5	27.28	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	6	43.95	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	7	107.18	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	8	54.77	Favourable
North Cornwall	Boscastle To Widemouth	Supralittoral rock	9	2.57	Favourable
North Cornwall	Boscastle To Widemouth	Supralittoral rock	10	7.48	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	11	39.81	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	12	63.43	Favourable
North Cornwall	Boscastle To Widemouth	Supralittoral rock	13	6.69	Favourable
North Cornwall	Boscastle To Widemouth	Supralittoral rock	14	18.52	Unfavourable recovering
North Cornwall	Boscastle To Widemouth	Broadleaved, mixed and yew woodland - lowland	15	98.75	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	16	34.03	Unfavourable no change
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	17	36.37	Favourable
North Cornwall	Boscastle To Widemouth	Neutral grassland - lowland	18	39.16	Favourable
Penwith	Boscawen	Earth heritage	1	3.28	Favourable
Penwith	Boscawen	Earth heritage	2	2.37	Favourable
North Cornwall	Brendonmoor	Fen, marsh and swamp - lowland	1	14.28	Favourable
North Cornwall	Breney Common	Dwarf shrub heath - lowland	1	46.99	Unfavourable recovering
North Cornwall	Breney Common	Dwarf shrub heath - lowland	2	63.91	Unfavourable recovering
North Cornwall	Bude Coast	Neutral grassland - lowland	1	7.24	Unfavourable recovering
North Cornwall	Bude Coast	Supralittoral rock	2	7.67	Favourable
North Cornwall	Bude Coast	Earth heritage	3	44.35	Favourable
Caradon	Cabilla Manor Wood	Broadleaved, mixed and yew woodland - upland	1	11.34	Favourable
Caradon	Cabilla Manor Wood	Broadleaved, mixed and yew woodland - upland	2	3.45	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	1	11.46	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	2	24.58	Unfavourable recovering

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	3	2.95	Unfavourable no change
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	4	4.53	Unfavourable recovering
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	5	4.67	Unfavourable recovering
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	6	10.88	Unfavourable no change
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	7	3.8	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	8	8.95	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	9	9.63	Unfavourable recovering
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	10	5.31	Unfavourable recovering
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	11	1.01	Unfavourable no change
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	12	3.05	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	13	1.23	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	14	0.14	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	15	39.75	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	16	2.12	Favourable
Kerrier	Caerthillian To Kennack	Neutral grassland - lowland	17	6.08	Favourable
Kerrier	Caerthillian To Kennack	Earth heritage	18	0	Favourable
Kerrier	Caerthillian To Kennack	Earth heritage	19	0	Favourable
Carrick	Cameron Quarry	Earth heritage	1	0.49	Favourable
Restormel	Carn Grey Rock And Quarry	Earth heritage	1	1.92	Favourable
Carrick	Carnkief Pond	Dwarf shrub heath - lowland	1	1.98	Unfavourable no change
Carrick	Carnkief Pond	Neutral grassland - lowland	2	3.34	Favourable
Carrick	Carnkief Pond	Neutral grassland - lowland	3	5.55	Favourable
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	1	1.87	Unfavourable declining
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	2	0.09	Unfavourable recovering
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	3	1.12	Unfavourable recovering
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	4	3.56	Unfavourable recovering
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	5	1.55	Unfavourable declining
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	6	2.88	Unfavourable declining
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	7	1.32	Unfavourable no change
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	8	3.75	Unfavourable recovering
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	9	0.15	Unfavourable declining
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	10	3.53	Unfavourable recovering
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	11	2.11	Unfavourable declining
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	12	2.82	Unfavourable declining
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	13	3.75	Unfavourable declining

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	14	1.99	Unfavourable recovering
Carrick	Carrick Heaths	Dwarf shrub heath - lowland	15	12.12	Unfavourable recovering
Carrick	Carricknath Point To Porthbean Beach	Neutral grassland - lowland	1	30.21	Favourable
Carrick	Carricknath Point To Porthbean Beach	Supralittoral rock	2	19.95	Favourable
Carrick	Carrine Common & Penwethers	Dwarf shrub heath - lowland	1	18.89	Unfavourable declining
Carrick	Carrine Common & Penwethers	Neutral grassland - lowland	2	14.32	Favourable
Carrick	Carrine Common & Penwethers	Neutral grassland - lowland	3	10.3	Favourable
Carrick	Carrine Common & Penwethers	Bogs - lowland	4	2.42	Unfavourable recovering
Carrick	Carrine Common & Penwethers	Boundary and linear features	5	0.51	Unfavourable declining
Isles Of Scilly	Castle Down (Tresco)	Dwarf shrub heath - lowland	1	56.54	Favourable
Isles Of Scilly	Castle Down (Tresco)	Earth heritage	2	0.24	Favourable
Isles Of Scilly	Castle Down (Tresco)	Earth heritage	3	0.98	Favourable
Isles Of Scilly	Chapel Down (St. Martin's)	Dwarf shrub heath - lowland	1	33.1	Favourable
Isles Of Scilly	Chapel Down (St. Martin's)	Earth heritage	2	0.39	Favourable
Penwith	Chyenhall Moor	Neutral grassland - lowland	1	3.57	Favourable
Penwith	Chyenhall Moor	Dwarf shrub heath - lowland	2	8.6	Unfavourable declining
Caradon	Clicker Tor Quarry	Earth heritage	1	3.72	Favourable
Carrick	Cligga Head	Dwarf shrub heath - lowland	1	107.59	Unfavourable recovering
Carrick	Cligga Head	Earth heritage	2	0	Favourable
Carrick	Cligga Head	Earth heritage	3	0	Favourable
Carrick	Cligga Head	Earth heritage	4	0	Favourable
North Cornwall	Coombe Mill	Built up areas and gardens	1	0.47	Favourable
Kerrier	Coverack Cove And Dolor Point	Earth heritage	1	1.27	Favourable
Kerrier	Coverack Cove And Dolor Point	Earth heritage	2	4.55	Favourable
Kerrier	Coverack To Porthoustock	Dwarf shrub heath - lowland	2	11.21	Favourable
Kerrier	Coverack To Porthoustock	Dwarf shrub heath - lowland	3	19.63	Favourable
Kerrier	Coverack To Porthoustock	Dwarf shrub heath - lowland	4	1.36	Unfavourable recovering
Kerrier	Coverack To Porthoustock	Dwarf shrub heath - lowland	5	31.15	Favourable
Kerrier	Coverack To Porthoustock	Earth heritage	6	10.06	Favourable
Kerrier	Coverack To Porthoustock	Earth heritage	7	13.3	Favourable
Kerrier	Coverack To Porthoustock	Earth heritage	8	39.07	Favourable
Kerrier	Coverack To Porthoustock	Earth heritage	9	18.66	Favourable
Kerrier	Coverack To Porthoustock	Dwarf shrub heath - lowland	10	27.48	Favourable
Kerrier	Coverack To Porthoustock	Dwarf shrub heath - lowland	11	1.51	Favourable
Caradon	Crocadon Quarry	Earth heritage	1	0.15	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Caradon	Crow's Nest	Inland rock	1	6.53	Favourable
Caradon	Crow's Nest	Inland rock	2	12.39	Favourable
Carrick	Crowhill Valley	Broadleaved, mixed and yew woodland - lowland	1	12.51	Unfavourable recovering
Carrick	Crowhill Valley	Broadleaved, mixed and yew woodland - lowland	2	4.52	Unfavourable recovering
Carrick	Crowhill Valley	Broadleaved, mixed and yew woodland - lowland	3	10.76	Favourable
Carrick	Crowhill Valley	Broadleaved, mixed and yew woodland - lowland	4	8.38	Favourable
Carrick	Crowhill Valley	Broadleaved, mixed and yew woodland - lowland	5	5.97	Favourable
Carrick	Cuckoo Rock To Turbot Point	Earth heritage	1	22.34	Favourable
Carrick	Cuckoo Rock To Turbot Point	Earth heritage	2	11.78	Favourable
Restormel	Cuckoo Rock To Turbot Point	Earth heritage	3	21.96	Favourable
Restormel	Cuckoo Rock To Turbot Point	Earth heritage	4	20.76	Favourable
Restormel	Cuckoo Rock To Turbot Point	Earth heritage	5	16.7	Favourable
Restormel	Cuckoo Rock To Turbot Point	Earth heritage	6	7.94	Favourable
Penwith	Cudden Point To Prussia Cove	Earth heritage	1	11.7	Favourable
Penwith	Cudden Point To Prussia Cove	Earth heritage	2	3.78	Favourable
North Cornwall	De Lank Quarries	Earth heritage	1	22	Favourable
Caradon	Dozmary Pool	Dwarf shrub heath - upland	1	6.9	Unfavourable no change
Caradon	Dozmary Pool	Dwarf shrub heath - upland	2	57.79	Unfavourable recovering
Caradon	Dozmary Pool	Dwarf shrub heath - upland	3	14.9	Unfavourable no change
Caradon	Dozmary Pool	Bogs - lowland	4	22.16	Unfavourable recovering
Caradon	Dozmary Pool	Dwarf shrub heath - upland	5	2.77	Unfavourable no change
Caradon	Dozmary Pool	Earth heritage	6	0	Favourable
Caradon	Draynes Wood	Broadleaved, mixed and yew woodland - upland	1	11.92	Favourable
Caradon	Draynes Wood	Broadleaved, mixed and yew woodland - upland	2	5.33	Favourable
Caradon	Draynes Wood	Broadleaved, mixed and yew woodland - upland	3	19.46	Favourable
Caradon	Draynes Wood	Rivers and streams	4	2.11	Favourable
North Cornwall	Duckpool To Furzey Cove	Earth heritage	1	18.13	Favourable
North Cornwall	Duckpool To Furzey Cove	Earth heritage	2	69.48	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	1	51.5	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	2	54.88	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	3	6.72	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	4	6.91	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	5	10.85	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	6	10.2	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	7	21.33	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	8	46.61	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	9	8.71	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	10	30.93	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	11	0.99	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	12	6.89	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	13	18.21	Favourable
Kerrier	East Lizard Heathlands	Dwarf shrub heath - lowland	14	8.64	Favourable
Isles Of Scilly	Eastern Isles	Dwarf shrub heath - lowland	1	36.23	Favourable
Isles Of Scilly	Eastern Isles	Earth heritage	2	0	Favourable
Caradon	Eglarooze Cliff	Neutral grassland - lowland	1	34.49	Unfavourable recovering
Kerrier	Folly Rocks	Earth heritage	1	2.49	Favourable
Carrick	Gerrans Bay To Camels Cove	Supralittoral rock	1	61.92	Favourable
Carrick	Gerrans Bay To Camels Cove	Supralittoral rock	2	69.83	Favourable
Carrick	Gerrans Bay To Camels Cove	Earth heritage	3	0	Favourable
Carrick	Gerrans Bay To Camels Cove	Earth heritage	4	0	Favourable
Carrick	Gerrans Bay To Camels Cove	Earth heritage	5	0	Favourable
Carrick	Godrevy Head To St Agnes	Supralittoral sediment	1	115.96	Favourable
Carrick	Godrevy Head To St Agnes	Dwarf shrub heath - lowland	2	75.7	Favourable
Carrick	Godrevy Head To St Agnes	Dwarf shrub heath - lowland	3	71.04	Favourable
Carrick	Godrevy Head To St Agnes	Dwarf shrub heath - lowland	4	99.44	Favourable
Carrick	Godrevy Head To St Agnes	Dwarf shrub heath - lowland	5	27.87	Favourable
Carrick	Godrevy Head To St Agnes	Dwarf shrub heath - lowland	6	232.99	Favourable
Carrick	Godrevy Head To St Agnes	Earth heritage	7	1.86	Favourable
Carrick	Godrevy Head To St Agnes	Earth heritage	8	0	Favourable
Carrick	Godrevy Head To St Agnes	Earth heritage	9	0	Favourable
Carrick	Godrevy Head To St Agnes	Earth heritage	10	0	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	1	4.71	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	2	52.21	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	3	53.39	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	4	168.3	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	5	21.62	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	6	148.24	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	7	47.3	Unfavourable recovering
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	9	207.79	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	10	97.93	Favourable



## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	11	29.63	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	12	8.47	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	13	7.67	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	14	12.46	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	15	6.54	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	16	19.25	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	17	146.3	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	18	3.7	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	19	56.08	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	20	146.76	Favourable
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	21	24.46	Unfavourable recovering
Kerrier	Goonhilly Downs	Dwarf shrub heath - lowland	22	4.63	Favourable
Restormel	Goss And Tregoss Moors	Dwarf shrub heath - lowland	1	7.24	Favourable
Restormel	Goss And Tregoss Moors	Dwarf shrub heath - lowland	2	61.67	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	3	28.52	Favourable
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	4	17.7	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	5	4.2	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	6	48.51	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	7	93.96	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	8	223.31	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	9	41.17	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	10	38.15	Unfavourable no change
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	11	35.62	Unfavourable declining
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	12	44	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	13	26.93	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	14	20.85	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Fen, marsh and swamp - lowland	15	7	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Standing open water and canals	16	0	Unfavourable declining
Restormel	Goss And Tregoss Moors	Rivers and streams	17	0	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Dwarf shrub heath - lowland	18	15.53	Unfavourable declining
Restormel	Goss And Tregoss Moors	Dwarf shrub heath - lowland	19	0	Unfavourable recovering
Restormel	Goss And Tregoss Moors	Dwarf shrub heath - lowland	20	0	Unfavourable recovering
Isles Of Scilly	Great Pool (Tresco)	Standing open water and canals	1	17.31	Favourable
Kerrier	Great Wheal Fortune	Earth heritage	1	0.57	Favourable
North Cornwall	Greenamoor	Fen, marsh and swamp - lowland	1	17.82	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
North Cornwall	Greenamoor	Fen, marsh and swamp - lowland	2	4.84	Unfavourable recovering
North Cornwall	Greenamoor	Fen, marsh and swamp - lowland	3	7.77	Unfavourable recovering
North Cornwall	Greenamoor	Fen, marsh and swamp - lowland	4	1.61	Unfavourable recovering
Caradon	Greenscoombe Wood , Lockett	Broadleaved, mixed and yew woodland - lowland	1	12.98	Unfavourable recovering
Caradon	Greenscoombe Wood , Lockett	Broadleaved, mixed and yew woodland - lowland	2	15.76	Unfavourable recovering
North Cornwall	Greystone Quarry	Earth heritage	1	4.17	Favourable
North Cornwall	Grimscott	Fen, marsh and swamp - lowland	1	10.77	Favourable
Isles Of Scilly	Gugh	Dwarf shrub heath - lowland	1	35.3	Unfavourable recovering
Isles Of Scilly	Gugh	Earth heritage	2	1.3	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	1	4.43	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	2	39.06	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	3	46.48	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	4	6.84	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	5	5.93	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	6	60.34	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	7	30.01	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	8	98.25	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	9	0.3	Destroyed
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	10	1.13	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	11	27.05	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	12	0.11	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	13	0.2	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	14	29.57	Favourable
Penwith	Gwithian To Mexico Towans	Supralittoral sediment	15	25.19	Favourable
Penwith	Gwithian To Mexico Towans	Earth heritage	16	0	Favourable
Penwith	Gwithian To Mexico Towans	Earth heritage	17	0	Favourable
North Cornwall	Harbour Cove	Earth heritage	1	10.23	Favourable
North Cornwall	Harbour Cove	Earth heritage	2	18.57	Favourable
North Cornwall	Hawkstor Pit	Earth heritage	1	5.83	Favourable
Penwith	Hayle Estuary & Carrack Gladden	Littoral sediment	1	173.22	Favourable
Penwith	Hayle Estuary & Carrack Gladden	Supralittoral sediment	2	18.53	Favourable
Isles Of Scilly	Higher Moors & Porth Hellick Pool (St. Mary's)	Neutral grassland - lowland	1	12.97	Favourable
Isles Of Scilly	Higher Moors & Porth Hellick Pool (St. Mary's)	Neutral grassland - lowland	2	2.97	Favourable
Isles Of Scilly	Higher Moors & Porth Hellick Pool (St. Mary's)	Earth heritage	3	0	Favourable
Caradon	Hingston Down Quarry & Consols	Earth heritage	1	24.51	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Carrick	Kelsey Head	Supralittoral sediment	1	50.16	Unfavourable recovering
Carrick	Kelsey Head	Supralittoral sediment	2	110.17	Unfavourable recovering
Carrick	Kelsey Head	Neutral grassland - lowland	3	60.32	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	1	1.37	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	2	62.66	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	3	3.37	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	4	2.01	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	5	2.72	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	6	9.93	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	7	2.28	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	8	26.01	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	9	9.29	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	10	4.87	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	11	12.15	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	12	6.18	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	13	1.03	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	14	13.14	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	15	1.9	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	16	0.51	Unfavourable recovering
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	17	0.43	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	18	0.05	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	19	1.21	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	20	1.69	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	21	3.69	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	22	5.58	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	23	8.45	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	24	8.22	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	25	16.27	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	26	14.84	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	27	26.15	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	28	5.85	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	29	12.32	Favourable
Kerrier	Kennack To Coverack	Dwarf shrub heath - lowland	30	0.49	Favourable
Kerrier	Kennack To Coverack	Earth heritage	31	0	Favourable
Kerrier	Kennack To Coverack	Earth heritage	32	0	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
North Cornwall	Kernick And Ottery Meadows	Fen, marsh and swamp - lowland	1	12.03	Unfavourable no change
North Cornwall	Kernick And Ottery Meadows	Fen, marsh and swamp - lowland	2	5.23	Favourable
North Cornwall	Kernick And Ottery Meadows	Fen, marsh and swamp - lowland	3	3.74	Unfavourable no change
North Cornwall	Kernick And Ottery Meadows	Fen, marsh and swamp - lowland	4	3.29	Favourable
North Cornwall	Kernick And Ottery Meadows	Fen, marsh and swamp - lowland	5	4.43	Unfavourable recovering
Caradon	Kingsand To Sandway Point	Earth heritage	1	3.54	Favourable
Caradon	Kingsand To Sandway Point	Earth heritage	2	2.75	Favourable
North Cornwall	Lidcott Mine	Earth heritage	1	0.12	Favourable
Kerrier	Loe Pool	Coastal lagoon	1	95.73	Unfavourable declining
Kerrier	Loe Pool	Supralittoral sediment	2	27.83	Favourable
Kerrier	Loe Pool	Earth heritage	3	0	Favourable
Kerrier	Loe Pool	Earth heritage	4	0	Favourable
Penwith	Loggans Moor	Neutral grassland - lowland	3	10.52	Favourable
Penwith	Lower Bostraze And Leswidden	Inland rock	1	1.88	Unfavourable declining
Penwith	Lower Bostraze And Leswidden	Inland rock	2	0.46	Unfavourable declining
Kerrier	Lower Fal & Helford Intertidal	Littoral sediment	1	128.39	Favourable
Kerrier	Lower Fal & Helford Intertidal	Littoral sediment	2	47.07	Favourable
Carrick	Lower Fal & Helford Intertidal	Littoral sediment	3	15.02	Favourable
Carrick	Lower Fal & Helford Intertidal	Littoral sediment	4	65.08	Favourable
Carrick	Lower Fal & Helford Intertidal	Littoral sediment	5	7.95	Favourable
Isles Of Scilly	Lower Moors (St. Mary's)	Fen, marsh and swamp - lowland	1	10.16	Favourable
Restormel	Luxulyan Quarry	Earth heritage	1	50.36	Favourable
North Cornwall	Lymsworthy Meadows	Fen, marsh and swamp - lowland	1	7.39	Favourable
Caradon	Lynher Estuary	Littoral sediment	1	158.89	Favourable
Caradon	Lynher Estuary	Littoral sediment	2	17.57	Favourable
Caradon	Lynher Estuary	Broadleaved, mixed and yew woodland - lowland	3	5.22	Favourable
Caradon	Lynher Estuary	Littoral sediment	4	30.14	Favourable
Caradon	Lynher Estuary	Broadleaved, mixed and yew woodland - lowland	5	37.13	Favourable
Caradon	Lynher Estuary	Littoral sediment	6	23.25	Favourable
Caradon	Lynher Estuary	Littoral sediment	7	11.98	Favourable
Caradon	Lynher Estuary	Littoral sediment	8	11.25	Favourable
Caradon	Lynher Estuary	Littoral sediment	9	12.87	Favourable
Caradon	Lynher Estuary	Littoral sediment	10	15.56	Favourable
Caradon	Lynher Estuary	Littoral sediment	11	10.58	Favourable
Caradon	Lynher Estuary	Littoral sediment	12	25.18	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Caradon	Lynher Estuary	Littoral sediment	13	30.5	Favourable
Caradon	Lynher Estuary	Littoral sediment	14	3.35	Favourable
Caradon	Lynher Estuary	Littoral sediment	15	7.22	Favourable
Caradon	Lynher Estuary	Littoral sediment	16	5.45	Favourable
Caradon	Lynher Estuary	Littoral sediment	17	4.8	Favourable
Caradon	Lynher Estuary	Littoral sediment	18	2.43	Favourable
Caradon	Lynher Estuary	Littoral sediment	19	1.77	Favourable
Caradon	Lynher Estuary	Littoral sediment	20	3.99	Favourable
Caradon	Lynher Estuary	Littoral sediment	21	4.53	Favourable
Caradon	Lynher Estuary	Littoral sediment	22	36.21	Favourable
Caradon	Lynher Estuary	Littoral sediment	23	32.66	Favourable
Caradon	Lynher Estuary	Littoral sediment	24	98.45	Favourable
Caradon	Lynher Estuary	Littoral sediment	25	49.8	Favourable
Caradon	Lynher Estuary	Littoral sediment	26	31.84	Favourable
Carrick	Malpas Estuary	Broadleaved, mixed and yew woodland - lowland	1	2.07	Favourable
Carrick	Malpas Estuary	Broadleaved, mixed and yew woodland - lowland	2	2.39	Unfavourable declining
Carrick	Malpas Estuary	Broadleaved, mixed and yew woodland - lowland	3	2.22	Favourable
Carrick	Malpas Estuary	Broadleaved, mixed and yew woodland - lowland	4	8.28	Unfavourable declining
Carrick	Malpas Estuary	Littoral sediment	5	85.91	Favourable
Penwith	Marazion Marsh	Fen, marsh and swamp - lowland	1	58.8	Unfavourable recovering
Penwith	Marazion Marsh	Fen, marsh and swamp - lowland	2	1.49	Favourable
North Cornwall	Meddon Moor	Fen, marsh and swamp - lowland	1	31.2	Unfavourable recovering
Kerrier	Meneage Coastal Section	Earth heritage	1	44.53	Favourable
Kerrier	Meneage Coastal Section	Earth heritage	2	33.93	Favourable
Kerrier	Merthen Wood	Broadleaved, mixed and yew woodland - lowland	1	71.86	Favourable
North Cornwall	Minster Church	Built up areas and gardens	1	0.73	Favourable
North Cornwall	Mulberry Downs Quarry	Earth heritage	1	3.55	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Dwarf shrub heath - lowland	1	6.99	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Dwarf shrub heath - lowland	2	66.54	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Dwarf shrub heath - lowland	3	1.31	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Dwarf shrub heath - lowland	4	2	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Dwarf shrub heath - lowland	5	2.15	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Earth heritage	6	1.46	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Dwarf shrub heath - lowland	7	26.84	Favourable
Kerrier	Mullion Cliff To Predannack Cliff	Earth heritage	8	0	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Kerrier	Mullion Cliff To Predannack Cliff	Earth heritage	9	2.14	Favourable
Kerrier	Nance Wood	Broadleaved, mixed and yew woodland - lowland	1	10.01	Favourable
Carrick	Newlyn Downs	Dwarf shrub heath - lowland	1	90.56	Favourable
Carrick	Newlyn Downs	Dwarf shrub heath - lowland	2	24.34	Favourable
Isles Of Scilly	Norrard Rocks	Supralittoral rock	1	11.07	Favourable
North Cornwall	Ottery Valley	Fen, marsh and swamp - lowland	1	3.81	Unfavourable recovering
North Cornwall	Ottery Valley	Fen, marsh and swamp - lowland	2	5.14	Unfavourable recovering
North Cornwall	Ottery Valley	Fen, marsh and swamp - lowland	3	9.66	Part destroyed
North Cornwall	Ottery Valley	Fen, marsh and swamp - lowland	4	3.53	Favourable
North Cornwall	Ottery Valley	Fen, marsh and swamp - lowland	5	4.64	Favourable
North Cornwall	Ottery Valley	Fen, marsh and swamp - lowland	6	5.57	Unfavourable declining
Caradon	Park Wood	Broadleaved, mixed and yew woodland - lowland	1	10.98	Favourable
Caradon	Park Wood	Broadleaved, mixed and yew woodland - lowland	2	4.49	Favourable
Caradon	Park Wood	Broadleaved, mixed and yew woodland - lowland	3	12.71	Unfavourable recovering
Caradon	Park Wood	Broadleaved, mixed and yew woodland - lowland	4	3.52	Unfavourable declining
Penwith	Penberthy Croft Mine	Earth heritage	1	2.1	Favourable
Penwith	Penberthy Croft Mine	Earth heritage	2	0.26	Favourable
Penwith	Penberthy Croft Mine	Earth heritage	3	0	Favourable
Carrick	Penhale Dunes	Earth heritage	1	9.74	Favourable
Carrick	Penhale Dunes	Earth heritage	2	4.11	Favourable
Carrick	Penhale Dunes	Supralittoral sediment	3	612.4	Favourable
Isles Of Scilly	Peninnis Head (St. Mary's)	Dwarf shrub heath - lowland	1	16.31	Favourable
Isles Of Scilly	Peninnis Head (St. Mary's)	Earth heritage	2	0	Favourable
Penwith	Penlee Point	Earth heritage	1	0.84	Favourable
Penwith	Penlee Point	Earth heritage	2	1.05	Favourable
Penwith	Penlee Point	Earth heritage	3	0.88	Favourable
Penwith	Penlee Quarry	Earth heritage	1	25.08	Favourable
North Cornwall	Pentire Peninsula	Supralittoral rock	1	13.08	Favourable
North Cornwall	Pentire Peninsula	Supralittoral rock	2	40.97	Favourable
North Cornwall	Pentire Peninsula	Supralittoral rock	3	20.59	Favourable
North Cornwall	Pentire Peninsula	Earth heritage	4	34.45	Favourable
Isles Of Scilly	Pentle Bay, Merrick And Round Islands	Dwarf shrub heath - lowland	1	38	Favourable
Isles Of Scilly	Pentle Bay, Merrick And Round Islands	Supralittoral rock	2	0.03	Favourable
Isles Of Scilly	Pentle Bay, Merrick And Round Islands	Supralittoral rock	3	4.6	Favourable
Caradon	Phoenix United Mine	Inland rock	1	5.66	Unfavourable recovering

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Caradon	Phoenix United Mine	Inland rock	2	24.14	Unfavourable recovering
Isles Of Scilly	Plains & Great Bay (St. Martin's)	Supralittoral sediment	1	14.58	Favourable
Caradon	Plymouth Sound Shores And Cliffs	Littoral sediment	5	4.63	Favourable
Caradon	Plymouth Sound Shores And Cliffs	Littoral sediment	6	1.06	Favourable
Caradon	Polruan To Polperro	Supralittoral rock	1	17.37	Favourable
Caradon	Polruan To Polperro	Supralittoral rock	2	24.27	Favourable
Caradon	Polruan To Polperro	Supralittoral rock	3	56.61	Favourable
Caradon	Polruan To Polperro	Neutral grassland - lowland	4	9.08	Favourable
Caradon	Polruan To Polperro	Supralittoral rock	5	37.41	Unfavourable recovering
Caradon	Polruan To Polperro	Neutral grassland - lowland	6	13.78	Unfavourable recovering
Caradon	Polruan To Polperro	Supralittoral rock	7	18.58	Unfavourable no change
Caradon	Polruan To Polperro	Supralittoral rock	8	36.77	Favourable
Caradon	Polyne Quarry	Earth heritage	1	0.04	Favourable
North Cornwall	Polyphant	Earth heritage	1	1.66	Favourable
North Cornwall	Polyphant	Earth heritage	2	1.83	Favourable
Isles Of Scilly	Pool Of Bryher & Popplestone Bank (Bryher)	Coastal lagoon	1	6.26	Favourable
Isles Of Scilly	Porth Seal (St. Martin's)	Earth heritage	1	0.9	Favourable
Kerrier	Porthcew	Earth heritage	1	7.98	Favourable
Kerrier	Porthcew	Earth heritage	2	1.8	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	1	55.12	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	2	55.67	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	3	4.4	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	4	7.37	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	5	21.8	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	6	1.97	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	7	2.62	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	8	2.09	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	9	2.26	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	10	2.25	Favourable
Penwith	Porthgwarra To Pordenack Point	Dwarf shrub heath - lowland	11	2.88	Favourable
Kerrier	Porthleven Cliffs	Earth heritage	1	2.02	Favourable
Kerrier	Porthleven Cliffs	Earth heritage	2	5.15	Favourable
Kerrier	Porthleven Cliffs East	Earth heritage	1	5.51	Part destroyed
Kerrier	Porthleven Cliffs East	Earth heritage	2	8.43	Favourable
Isles Of Scilly	Porthloo	Earth heritage	1	0.54	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Caradon	Rame Head & Whitsand Bay	Supralittoral rock	1	49.43	Unfavourable recovering
Caradon	Rame Head & Whitsand Bay	Supralittoral rock	2	24.73	Unfavourable recovering
Caradon	Rame Head & Whitsand Bay	Supralittoral rock	3	51.01	Favourable
Caradon	Rame Head & Whitsand Bay	Supralittoral rock	4	35.89	Unfavourable recovering
Restormel	Red Moor	Dwarf shrub heath - lowland	1	32.05	Favourable
Restormel	Red Moor	Dwarf shrub heath - lowland	2	13.89	Unfavourable recovering
Restormel	Red Moor	Dwarf shrub heath - lowland	3	8.32	Unfavourable recovering
Restormel	Red Moor	Dwarf shrub heath - lowland	4	33.36	Unfavourable recovering
Caradon	Redlake Meadows & Hoggs Moor	Bogs - lowland	1	14.14	Unfavourable declining
Caradon	Redlake Meadows & Hoggs Moor	Bogs - lowland	2	12.21	Unfavourable recovering
Caradon	Redlake Meadows & Hoggs Moor	Bogs - lowland	3	3.87	Unfavourable no change
Restormel	Retire Common	Fen, marsh and swamp - lowland	1	29.8	Unfavourable recovering
Restormel	Retire Common	Fen, marsh and swamp - lowland	2	31.64	Unfavourable recovering
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	50	12.64	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	51	16.7	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	52	8.06	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	53	8.83	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	54	4.21	Unfavourable declining
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	55	4.93	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	56	1.24	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	57	4.25	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Rivers and streams	58	1.36	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Acid grassland - upland	59	28.54	Unfavourable recovering
North Cornwall	River Camel Valley And Tributaries	Neutral grassland - lowland	60	3.41	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Broadleaved, mixed and yew woodland - lowland	61	11.57	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Broadleaved, mixed and yew woodland - lowland	62	49.74	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Neutral grassland - lowland	63	2.24	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Acid grassland - upland	64	8.09	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Broadleaved, mixed and yew woodland - lowland	65	33.62	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Broadleaved, mixed and yew woodland - lowland	66	106.99	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Broadleaved, mixed and yew woodland - lowland	67	3.39	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Acid grassland - upland	68	16.44	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Broadleaved, mixed and yew woodland - lowland	69	126.12	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Neutral grassland - lowland	70	20.78	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Neutral grassland - lowland	71	15.72	Unfavourable no change



## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
North Cornwall	River Camel Valley And Tributaries	Broadleaved, mixed and yew woodland - lowland	72	59.28	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Acid grassland - upland	73	10.38	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Neutral grassland - lowland	74	11.18	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Acid grassland - upland	75	15.66	Unfavourable no change
North Cornwall	River Camel Valley And Tributaries	Neutral grassland - lowland	76	34.31	Unfavourable no change
Restormel	Roche Rock	Earth heritage	1	2.25	Favourable
North Cornwall	Rock Dunes	Supralittoral sediment	1	55.72	Favourable
North Cornwall	Rock Dunes	Calcareous grassland - lowland	2	11.36	Favourable
Kerrier	Rosemullion	Supralittoral rock	1	11.51	Favourable
Kerrier	Rosemullion	Earth heritage	2	2.53	Favourable
Kerrier	Rosemullion	Earth heritage	3	3.25	Favourable
Restormel	Rosenannon Bog And Downs	Dwarf shrub heath - lowland	1	17.11	Unfavourable recovering
Restormel	Rosenannon Bog And Downs	Dwarf shrub heath - lowland	2	109.74	Unfavourable declining
Restormel	Rosenannon Bog And Downs	Fen, marsh and swamp - lowland	3	6.79	Unfavourable recovering
Caradon	Rosenun Lane	Earth heritage	1	0.37	Favourable
Isles Of Scilly	Rushy Bay & Heathy Hill (Bryher)	Dwarf shrub heath - lowland	1	11.82	Favourable
Isles Of Scilly	Samson (With Green, White, Puffin & Stony Islands)	Dwarf shrub heath - lowland	1	38.64	Favourable
Isles Of Scilly	Shipman Head & Shipman Down (Bryher)	Dwarf shrub heath - lowland	1	35.3	Favourable
Isles Of Scilly	Shipman Head & Shipman Down (Bryher)	Supralittoral rock	2	4.91	Favourable
Restormel	South Terras Mine	Earth heritage	1	0.65	Favourable
Carrick	St Agnes Beacon Pits	Earth heritage	1	7.9	Favourable
Caradon	St John's Lake	Littoral sediment	1	14.05	Favourable
Caradon	St John's Lake	Littoral sediment	2	123.28	Favourable
Caradon	St John's Lake	Littoral sediment	3	129.11	Favourable
North Cornwall	St Nectan's Glen	Broadleaved, mixed and yew woodland - lowland	1	3.27	Favourable
Restormel	St. Austell Clay Pits	Inland rock	1	0.25	Unfavourable recovering
Restormel	St. Austell Clay Pits	Inland rock	2	0.05	Unfavourable recovering
Restormel	St. Austell Clay Pits	Inland rock	3	0.31	Favourable
Penwith	St. Erth Sand Pits	Earth heritage	1	3.81	Favourable
Isles Of Scilly	St. Helen's (With Northwethel & Men-a-vaur)	Dwarf shrub heath - lowland	1	25.94	Favourable
Isles Of Scilly	St. Martin's Sedimentary Shore	Littoral sediment	1	34.26	Favourable
Restormel	St. Mewan Beacon	Earth heritage	1	0.69	Favourable
Penwith	St. Michael's Mount	Earth heritage	1	0.34	Favourable
Penwith	St. Michael's Mount	Earth heritage	2	2.28	Favourable
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	1	24.53	Unfavourable recovering

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	2	39.19	Favourable
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	3	18.54	Favourable
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	4	35.4	Unfavourable no change
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	5	16.56	Unfavourable recovering
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	6	20.92	Unfavourable recovering
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	7	27.28	Unfavourable no change
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	8	24.37	Favourable
North Cornwall	Steeple Point To Marsland Mouth	Broadleaved, mixed and yew woodland - lowland	9	6.62	Unfavourable recovering
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	10	11.09	Unfavourable recovering
North Cornwall	Steeple Point To Marsland Mouth	Supralittoral rock	11	27.41	Unfavourable recovering
North Cornwall	Steeple Point To Marsland Mouth	Broadleaved, mixed and yew woodland - lowland	12	17.05	Favourable
North Cornwall	Steeple Point To Marsland Mouth	Broadleaved, mixed and yew woodland - lowland	13	21.36	Favourable
North Cornwall	Steeple Point To Marsland Mouth	Broadleaved, mixed and yew woodland - lowland	14	26.06	Favourable
North Cornwall	Steeple Point To Marsland Mouth	Broadleaved, mixed and yew woodland - lowland	15	8.64	Unfavourable no change
North Cornwall	Steeple Point To Marsland Mouth	Broadleaved, mixed and yew woodland - lowland	16	4.77	Favourable
North Cornwall	Stepper Point	Earth heritage	1	0.34	Favourable
North Cornwall	Stepper Point	Earth heritage	2	1.54	Favourable
North Cornwall	Stourscombe Quarry	Earth heritage	1	0.39	Favourable
Carrick	Swanpool	Standing open water and canals	1	9.05	Favourable
Caradon	Sylvia's Meadow	Neutral grassland - lowland	1	4.59	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	1	52.8	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	2	64.22	Favourable
Caradon	Tamar - Tavy Estuary	Broadleaved, mixed and yew woodland - lowland	3	5.22	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	4	9.85	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	5	7.27	Favourable
Caradon	Tamar - Tavy Estuary	Broadleaved, mixed and yew woodland - lowland	6	3.68	Unfavourable declining
Caradon	Tamar - Tavy Estuary	Littoral sediment	7	6.64	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	8	34.59	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	9	13.2	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	10	64.72	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	11	28.67	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	12	24.65	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	13	5.06	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	14	94.67	Favourable
Caradon	Tamar - Tavy Estuary	Broadleaved, mixed and yew woodland - lowland	15	16.24	Unfavourable recovering

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	16	9.34	Unfavourable recovering
Caradon	Tamar - Tavy Estuary	Littoral sediment	17	22.36	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	18	10.03	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	19	18.43	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	20	15.11	Favourable
Caradon	Tamar - Tavy Estuary	Broadleaved, mixed and yew woodland - lowland	21	3.06	Unfavourable recovering
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	22	7.88	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	23	7.36	Favourable
Caradon	Tamar - Tavy Estuary	Littoral sediment	24	4.59	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	25	4.42	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	26	2.91	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	27	6.67	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	28	7.18	Favourable
Caradon	Tamar - Tavy Estuary	Broadleaved, mixed and yew woodland - lowland	29	10.55	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	30	6.63	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	31	3.77	Unfavourable recovering
Caradon	Tamar - Tavy Estuary	Broadleaved, mixed and yew woodland - lowland	32	2.12	Favourable
Caradon	Tamar - Tavy Estuary	Fen, marsh and swamp - lowland	33	2.02	Favourable
Penwith	Tater-du	Earth heritage	1	3.69	Favourable
Penwith	Tater-du	Earth heritage	2	1.07	Favourable
Isles Of Scilly	Tean	Neutral grassland - lowland	1	18.76	Unfavourable recovering
Isles Of Scilly	Tean	Earth heritage	2	0	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	1	17.66	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	2	2.72	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	3	33.84	Unfavourable recovering
North Cornwall	Tintagel Cliffs	Supralittoral rock	4	6.34	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	5	28.96	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	6	10.41	Unfavourable recovering
North Cornwall	Tintagel Cliffs	Supralittoral rock	7	9.33	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	8	18.01	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	9	20.75	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	10	36.36	Favourable
North Cornwall	Tintagel Cliffs	Supralittoral rock	11	10.96	Favourable
North Cornwall	Trebetherick Point	Neutral grassland - lowland	1	4.56	Favourable
North Cornwall	Trebetherick Point	Littoral rock	2	15.01	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
North Cornwall	Trebetherick Point	Earth heritage	3	0.29	Favourable
Penwith	Treen Cliff	Dwarf shrub heath - lowland	1	48.56	Unfavourable recovering
Restormel	Tregargus Quarries	Earth heritage	1	1.65	Unfavourable no change
Restormel	Tregonetha & Belowda Downs	Fen, marsh and swamp - lowland	1	26.27	Unfavourable recovering
Restormel	Tregonetha & Belowda Downs	Dwarf shrub heath - lowland	2	51.5	Unfavourable no change
Restormel	Tregonetha & Belowda Downs	Fen, marsh and swamp - lowland	3	9.47	Favourable
Restormel	Tregonetha & Belowda Downs	Dwarf shrub heath - lowland	4	19.31	Unfavourable declining
Kerrier	Tregonning Hill	Inland rock	1	5.42	Unfavourable declining
Carrick	Trehane Barton	Built up areas and gardens	1	0.01	Unfavourable no change
Restormel	Trelavour Downs	Earth heritage	1	0.32	Favourable
North Cornwall	Trelow Downs	Dwarf shrub heath - lowland	1	100.63	Unfavourable recovering
North Cornwall	Trelow Downs	Dwarf shrub heath - lowland	2	36.99	Favourable
North Cornwall	Trelow Downs	Dwarf shrub heath - lowland	3	6.69	Unfavourable recovering
North Cornwall	Trelow Downs	Dwarf shrub heath - lowland	4	5.14	Unfavourable no change
Kerrier	Tremearne Par	Earth heritage	1	10	Part destroyed
Kerrier	Tremearne Par	Earth heritage	2	4.51	Favourable
Carrick	Trevaunance Cove	Earth heritage	1	1.5	Favourable
Carrick	Trevaunance Cove	Earth heritage	2	5.5	Favourable
North Cornwall	Trevone Bay	Earth heritage	1	3.2	Favourable
North Cornwall	Trevone Bay	Earth heritage	2	6.14	Favourable
North Cornwall	Trevoise Head And Constantine Bay	Supralittoral sediment	1	32.93	Favourable
North Cornwall	Trevoise Head And Constantine Bay	Supralittoral sediment	2	63.75	Favourable
North Cornwall	Trevoise Head And Constantine Bay	Supralittoral rock	3	17.84	Unfavourable no change
North Cornwall	Trevoise Head And Constantine Bay	Supralittoral rock	4	13.81	Unfavourable no change
North Cornwall	Trevoise Head And Constantine Bay	Earth heritage	5	11.59	Favourable
North Cornwall	Trevoise Head And Constantine Bay	Earth heritage	6	15.71	Favourable
Carrick	Upper Fal Estuary And Woods	Littoral sediment	1	363.99	Favourable
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	2	64.73	Unfavourable recovering
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	3	16.26	Unfavourable declining
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	4	10.74	Favourable
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	5	14.16	Favourable
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	6	83.18	Unfavourable declining
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	7	9.11	Favourable
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	8	7.89	Unfavourable recovering
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	9	2.39	Unfavourable recovering

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Carrick	Upper Fal Estuary And Woods	Broadleaved, mixed and yew woodland - lowland	10	5.67	Favourable
Caradon	Upper Fowey Valley	Fen, marsh and swamp - lowland	1	23.61	Unfavourable declining
Caradon	Upper Fowey Valley	Fen, marsh and swamp - lowland	2	19.62	Unfavourable recovering
Caradon	Upper Fowey Valley	Fen, marsh and swamp - lowland	3	47.65	Unfavourable recovering
Caradon	Upper Fowey Valley	Fen, marsh and swamp - lowland	4	5.97	Unfavourable recovering
Caradon	Upper Fowey Valley	Fen, marsh and swamp - lowland	5	7.1	Unfavourable declining
Caradon	Upper Fowey Valley	Fen, marsh and swamp - lowland	6	11.2	Unfavourable recovering
Caradon	Upper Fowey Valley	Fen, marsh and swamp - lowland	7	13.87	Unfavourable recovering
Carrick	Ventongimps Moor	Dwarf shrub heath - lowland	1	8.19	Unfavourable recovering
Caradon	Viverdon Quarry	Earth heritage	1	0.37	Favourable
Isles Of Scilly	Watermill Cove	Earth heritage	1	0.46	Favourable
Kerrier	West Cornwall Bryophytes	Inland rock	1	8.68	Favourable
Kerrier	West Cornwall Bryophytes	Inland rock	2	2.35	Favourable
Kerrier	West Cornwall Bryophytes	Inland rock	3	2.66	Part destroyed
Kerrier	West Cornwall Bryophytes	Inland rock	4	0.14	Favourable
Kerrier	West Cornwall Bryophytes	Inland rock	5	6.03	Favourable
Carrick	West Cornwall Bryophytes	Inland rock	6	29.07	Favourable
Kerrier	West Cornwall Bryophytes	Inland rock	7	5.05	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	2	122.62	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	3	255.01	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	4	127.69	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	5	18.56	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	6	2.12	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	7	7.82	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	8	5.76	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	9	67.31	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	10	40.68	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	11	4.87	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	12	23.52	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	13	34.8	Favourable
Kerrier	West Lizard	Earth heritage	14	0	Favourable
Kerrier	West Lizard	Earth heritage	15	0	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	16	43.92	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	17	3.38	Favourable
Kerrier	West Lizard	Dwarf shrub heath - lowland	18	4.47	Favourable

## APPENDIX B

## Condition of SSSIs

District	SSSI name	Main habitat	Unit number	Unit area (ha)	Condition
Kerrier	West Lizard	Dwarf shrub heath - lowland	19	13.32	Favourable
Isles Of Scilly	Western Rocks	Supralittoral rock	1	9.51	Favourable
Penwith	Wheal Alfred	Earth heritage	1	1.26	Favourable
Kerrier	Wheal Gorland	Earth heritage	1	0.19	Part destroyed
Restormel	Wheal Martyn	Earth heritage	1	0.13	Favourable
Kerrier	Wheal Penrose	Earth heritage	1	1.21	Unfavourable declining
Isles Of Scilly	White Island (Off St. Martin's)	Dwarf shrub heath - lowland	1	15.6	Favourable
Isles Of Scilly	White Island (Off St. Martin's)	Earth heritage	2	0	Favourable
Isles Of Scilly	Wingletang Down (St. Agnes)	Dwarf shrub heath - lowland	1	27.68	Favourable
North Cornwall	Yeolmbridge Quarry	Earth heritage	1	0.8	Unfavourable no change